

CONFORMITY of materials to fire prevention legislation

The undersigned _____ as legal representative of the
 Company _____
 Address _____ City _____
 phone _____ fax _____ E-MAIL: _____
 Hall _____ Stand _____ Fair/Exhibition (Trade sector) _____

In order to ensure the utmost safety and prevent fires arising from materials used in the stand, the above mentioned company, in accordance with current legislation, hereby DECLARES that the following materials have been used to create and outfit their stand

Component	Type of material: according to the table in the following page, indicate the fire reaction class of the material	Flame resistant	Certification Number	Declaration of conformity By producer or retailer enclosed		Quantity Sq. m
				YES	NO	
<input type="checkbox"/> PLATFORMS	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> FLOOR COVERING	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> OUTFITTING STRUCTURE	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> WALLS COATING	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/> CEILINGS, SKYLIGHTS	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____
<input type="checkbox"/>	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____

Fiere di Parma and any third parties in any way involved in the exhibition are hereby relieved of all and every liability for stand construction and outfitting. We formally declare that we waive any right to request damages Fiere di Parma or from third parties for any relating damages to persons or property. We hereby also undertake to provide Fiere di Parma with certificates of fire resistance or fire test reports relating to the materials used in the preparation of the stand.

Date _____

ON BEHALF OF THE COMPANY
 (stamp and signature of legal representative)

Should the stand be outfitted by a fitting company, this latter shall also be obliged to undersign the following declaration. We also hereby declare that the certificates enclosed refer to materials used to outfit the stand and that the classified materials used in the stand fittings are the same as the certified samples.

THE FITTERS
 (stamp and signature of legal representative)

ON BEHALF OF THE COMPANY

_____ date _____

THIS FORM IS OBLIGATORY FOR ALL FITTINGS INSTALLED BY THE EXHIBITOR
 EXHIBITORS WHO HAVE RESERVED A PRE-FITTED STAND ARE EXEMPTED FROM HAVING TO SUBMIT THE PRESENT FORM.

TO BE RETURNED, DULY FILLED IN AND SIGNED, DIRECTLY TO THE S.A.T.E. OFFICES DURING THE OUTFITTING PERIOD AND, IN ANY CASE, PRIOR TO THE BEGINNING OF THE EXHIBITION

COMPULSORY

GRADING MATERIAL SCALE D.M. 16/02/2009**Non-flammable products**

Italian class	Type of use	European fire resistance class
0 (Non-Flammable)	On floor	A1FL
	On wall	A1
	On ceiling	A1

Installed products along the escape routes

Italian class	Type of use	European fire resistance class
1 (along the escape routes)	On floor	(A2FL-s1) (BFL-s1) (CFL-s1)
	On wall	(A2-s1, d0) (A2-s2, d0) (A2-s1, d1) (B-s1, d0) (B-s2, d0) (B-s1,d1)
	On ceiling	(A2-s1,d0)(A2-s2,d0)(B-s1,d0)(B-s2,d0)

Products installed in other places*Table 1 – Use on Floor*

	Italian class	European fire resistance class
I	Classe 1	(A2FL-s1),(A2FL-s2),(BFL-s1),(BFL-s2),(CFL-s1)
II	Classe 2	(CFL-s2),(DFL-s1)
III	Classe 3	(DFL-s2)

Table 2 – Use on Wall

	Italian class	European fire resistance class
I	Class 1	(A2-s1,d0),(A2-s2,d0),(A2-s3,d0),(A2-s1,d1),(A2-s2,d1),(A2-s3,d1),(B-s1,d0),(B-s2,d0),(B-s1,d1),(B-s2,d1)
II	Class 2	(A2-s1,d2),(A2-s2,d2),(A2-s3,d2),(B-s3,d0),(B-s3,d1),(B-s1,d2),(B-s2,d2),(B-s3,d2),(C-s1,d0),(C-s2,d0),(C-s1,d1),(C-s2,d1)
III	Class 3	(C-s3,d0),(C-s3,d1),(C-s1,d2),(C-s2,d2),(C-s3,d2),(D-s1,d0),(D-s2,d0),(D-s1,d1),(D-s2,d1)

Table 3 – Use on Ceiling

ENCLOSURE Z1

CONFORMITY of materials to fire prevention legislation

CHARACTERISTICS OF MATERIALS TO BE USED FOR THE STANDS OUTFITTINGS

In order to guarantee the highest safety conditions within the Exhibition, the Exhibitors shall observe and have the fitters observe Fire Regulations.

In any case, the materials used to outfit the stand must possess the following characteristics:

walls, floors and relevant floor covering materials: non-fire, complying with to class 1 or 2

curtains and ceilings complying with class 1.

Only class 1 plastic materials and foam sheeting (e.g. polystyrene) shall be used.

No non-fire resistant synthetic textiles, paints, glues and other materials that fail to comply with class 1 or class 2 specifications shall be used, nor shall trellis work, mats, grates or curtains made from thin strips of wood or similar materials be accepted.

1) wherever fire proof materials are used the exhibitor shall supply:

- a written declaration in which he undertakes to use the materials as specified for stand construction.

2) wherever class 1 and/or class 2 materials are used the exhibitor shall supply:

- certification of the fire proof test on the utilized materials as issued by the Ministry of the Interior - Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio (Rome-Capanelle) or by another legally recognized authority or laboratory.

3) wherever fire resistant materials or materials that have been rendered fire resistant are used, the exhibitor shall supply:

- for fire resistant materials:

the certificate attesting to the fire proof test on the materials used as issued by the Ministry of the Interior - Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio (Rome-Capanelle) or by another legally recognized authority or laboratory.

- for materials that have been rendered fire resistant:

the certificate of fire resistance as issued by the authority that rendered the materials fire resistant, including:

- the name of the Exhibitor, hall number and stand number;
- a list of materials that have been rendered fire resistant;
- the date on which the materials were rendered fire resistant (not preceding six months before the beginning of the exhibition);
- the treated surface;

e) the main characteristics of the utilized product (enclose certificate);

f) the guarantee issued by the authority that materially carried out the operations to render the materials fire resistant, relieving Fiere di Parma and any third parties involved in the organization of the Exhibition from all and every liability, waiving any potential claim for compensation or damages from Fiere di Parma and third parties and undertaking to compensate Fiere di Parma for any damage directly sustained by Fiere di Parma itself.

All products used to render materials fire resistant must have received approval from the Ministry of the Interior - Direzione Generale della Protezione Civile Centro Studi ed Esperienze Antincendio or from another legally recognized authority or laboratory.

NOTE

Please remember that if properly carried out, the fire-resistant treatment of fabrics ensures protection, as described by the company that produces the fire resistant substances, for six months at most; this, so long as:

- after dismantling, the treated fabric is kept in a dry place;

if during, the above mentioned six month period, the product is not washed or ironed or beaten by carpet beaters or similar procedures. Fire resistant fabrics are available on the market.


Note that fire-resistant materials are available on trade.

Fiere di Parma shall, at their sole and total discretion, have the appropriate authorities or personnel take samples of products or materials used for protection or stand outfitting purposes.

Non-compliance with the above mentioned regulations and those established by the attendance regulations and rules given in this dossier, shall entitle Fiere di Parma to take cautionary measures, which may lead to the exhibitor being ordered to dismantle part or all of the stand or to being forbidden to use the stand.

FAILURE TO COMPLY WITH THE SAFETY REGULATIONS MAY LEAD TO PROSECUTION.

CLASSES OF REACTION TO COMBUSTION OF MATERIALS TO BE USED FOR STAND OUTFITTING PURPOSES



	RIVESTIMENTO DEL PAVIMENTO	SE POSATO SULLA STRUTTURA ESISTENTE - CLASSE 2 - SE POSATO SU PEDANE - CLASSE 1
	PEDANE	CLASSE 1
	PARETI E PORTE	CLASSE 1 - SIA LA STRUTTURA CHE IL RIVESTIMENTO
	CONTROSOFFITTI E CIELINI	CLASSE 1 - SIA LA STRUTTURA CHE IL RIVESTIMENTO
	TENDAGGI TAPPARELLE E SIMILI	CLASSE 1 - SIA LA STRUTTURA CHE IL TESSUTO

FLOOR COVERING	If laid on existing surface	Class 2	
	If laid on raised surface	Class 1	
RAISED SURFACES		Class 1	
WALLS AND DOORS		Class 1	both the structure and the covering
COUNTER CEILINGS AND SKY LIGHTS		Class 1	both the structure and the covering
CURTAINS, SHUTTERS ETC.		Class 1	both the structure